



Symfony – ORM, Routing & Twig

1. Présentation

Ce TP consiste à créer une application Symfony via Composer, intégrer les composants web (webapp), comprendre l'architecture MVC, manipuler les contrôleurs, les routes et les templates Twig .

2. Objectif

- Installer Symfony via Composer
 - Ajouter les composants web
 - Comprendre la structure du projet
 - Créer des contrôleurs
 - Gérer les routes
 - Manipuler Twig
 - Tester l'application dans le navigateur
-

3. Environnement technique

- OS : Windows
 - PHP : 8.2.x
 - Composer : 2.x
 - Symfony : version 7.x
 - Serveur : PHP Built-in Server
-

4. Installation du projet Symfony

4.1 Création du projet

```
composer create-project symfony/skeleton nom_projet
```

Capture – Création projet

```

C:\Users\alexi>composer create-project Symfony/skeleton:"7.4.*" sf-080120261500
Creating a "Symfony/skeleton:7.4.*" project at "./sf-080120261500"
Installing symfony/skeleton (v7.4.99)
Failed to download symfony/skeleton from dist: The zip extension and unzip/7z commands are both missing, skipping.
The php.ini used by your command-line PHP is: C:\xampp\php\php.ini
Now trying to download from source
- Syncing symfony/skeleton (v7.4.99) into cache
- Installing symfony/skeleton (v7.4.99): Cloning bflabda299 from cache
Created project in C:\Users\alexi\sف-080120261500
Loading composer repositories with package information
Updating dependencies
Lock file operations: 1 install, 0 updates, 0 removals
- Locking symfony/flex (v2.10.0)
Writing lock file
Installing dependencies from lock file (including require-dev)
Package operations: 1 install, 0 updates, 0 removals
Failed to download symfony/flex from dist: The zip extension and unzip/7z commands are both missing, skipping.
The php.ini used by your command-line PHP is: C:\xampp\php\php.ini
Now trying to download from source
- Syncing symfony/flex (v2.10.0) into cache
- Installing symfony/flex (v2.10.0): Cloning 9cd3847759 from cache
Generating autoload files
1 package you are using is looking for funding.
Use the `composer fund` command to find out more!

Run composer recipes at any time to see the status of your Symfony recipes.

Loading composer repositories with package information
Restricting packages listed in "symfony/symfony" to "7.4.*"
Updating dependencies
Lock file operations: 30 installs, 0 updates, 0 removals
- Locking psr/cache (3.0.0)
- Locking psr/container (2.0.2)
- Locking psr/event-dispatcher (1.0.0)
- Locking psr/log (3.0.2)
- Locking symfony/cache (v7.4.5)
- Locking symfony/cache-contracts (v3.6.0)
- Locking symfony/config (v7.4.4)
- Locking symfony/console (v7.4.4)
- Locking symfony/dependency-injection (v7.4.5)
- Locking symfony/deprecation-contracts (v3.6.0)
- Locking symfony/dotenv (v7.4.0)
- Locking symfony/error-handler (v7.4.4)
- Locking symfony/event-dispatcher (v7.4.4)
- Locking symfony/event-dispatcher-contracts (v3.6.0)
- Locking symfony/filesystem (v7.4.0)
- Locking symfony/finder (v7.4.5)
- Locking symfony/framework-bundle (v7.4.5)

```

```
- Installing symfony/dotenv (v7.4.0): Cloning 1658a4d34d from cache
- Installing psr/event-dispatcher (1.0.0): Cloning dbefd12671 from cache
- Installing symfony/event-dispatcher-contracts (v3.6.0): Cloning 59eb412e93 from cache
- Installing symfony/routing (v7.4.4): Cloning 0798827fe2 from cache
- Installing symfony/polyfill-php85 (v1.33.0): Cloning d4e5fcd4ab from cache
- Installing symfony/http-foundation (v7.4.5): Cloning 446d0db2b1 from cache
- Installing symfony/event-dispatcher (v7.4.4): Cloning dc2c0eba1a from cache
- Installing symfony/var-dumper (v7.4.4): Cloning 0e4769b46a from cache
- Installing psr/log (3.0.2): Cloning f16e1d5863 from cache
- Installing symfony/error-handler (v7.4.4): Cloning 8da531f364 from cache
- Installing symfony/http-kernel (v7.4.5): Cloning 229eda4770 from cache
- Installing symfony/finder (v7.4.5): Cloning ad4daa7c38 from cache
- Installing symfony/filesystem (v7.4.0): Cloning d551b38811 from cache
- Installing symfony/var-exporter (v7.4.0): Cloning 03a60f169c from cache
- Installing symfony/dependency-injection (v7.4.5): Cloning 76a02cddca from cache
- Installing symfony/config (v7.4.4): Cloning 4275b53b8a from cache
- Installing symfony/cache (v7.4.5): Cloning 8dde98d5a4 from cache
- Installing symfony/framework-bundle (v7.4.5): Cloning dcf89ca671 from cache
- Installing symfony/yaml (v7.4.1): Cloning 24dd4de28d from cache
Generating autoload files
27 packages you are using are looking for funding.
Use the `composer fund` command to find out more!

Symfony operations: 4 recipes (8d9a2e7f773d2ecc28a72cfe41518010)
- Configuring symfony/flex (>=2.4): From github.com/symfony/recipes:main
- Configuring symfony/framework-bundle (>=7.4): From github.com/symfony/recipes:main
- Configuring symfony/console (>=5.3): From github.com/symfony/recipes:main
- Configuring symfony/routing (>=7.4): From github.com/symfony/recipes:main
Executing script cache:clear [OK]
Executing script assets:install public [OK]

What's next?

Some files have been created and/or updated to configure your new packages.
Please review, edit and commit them: these files are yours.

symfony/framework-bundle instructions:

* Run your application:
  1. Go to the project directory
  2. Create your code repository with the git init command
  3. Download the Symfony CLI at https://symfony.com/download to install a development web server

* Read the documentation at https://symfony.com/doc

No security vulnerability advisories found.
No security vulnerability advisories found.


C:\Users\alexi>
```

4.2 Ouverture dans VS Code

```
code .
```

Capture – Projet ouvert dans VSC

```
C:\Users\alexi\sف-080120261500>code ./
C:\Users\alexi\sف-080120261500>
```



4.3 Installation des composants WebApp

```
composer require webapp
```

Cela ajoute :

- Doctrine
- Twig
- Security
- Migrations
- Debug tools

Capture – Installation WebApp

```
PS C:\Users\alexi\sf-080120261500> composer require webapp
./composer.json has been updated
Running composer update symfony/webapp-pack
Loading composer repositories with package information
Restricting packages listed in "symfony/symfony" to "7.4.*"
Updating dependencies
Lock file operations: 106 installs, 0 updates, 0 removals
- Locking composer/semver (3.4.4)
- Locking doctrine/collections (2.6.0)
- Locking doctrine/dbal (4.4.1)
- Locking doctrine/deprecations (1.1.6)
- Locking doctrine/doctrine-bundle (2.18.2)
- Locking doctrine/doctrine-migrations-bundle (3.7.0)
- Locking doctrine/event-manager (2.1.1)
- Locking doctrine/inflector (2.1.0)
- Locking doctrine/instantiator (2.0.0)
- Locking doctrine/lexer (3.0.1)
- Locking doctrine/migrations (3.9.6)
- Locking doctrine/orm (3.6.2)
- Locking doctrine/persistence (4.1.1)
- Locking doctrine/sql-formatter (1.5.4)
- Locking egulias/email-validator (4.0.4)
- Locking masterminds/html5 (2.10.0)
- Locking monolog/monolog (3.10.0)
- Locking myclabs/deep-copy (1.13.4)
- Locking nikic/php-parser (v5.7.0)
- Locking phar-io/manifest (2.0.4)
- Locking phar-io/version (3.2.1)
- Locking phpdocumentor/reflection-common (2.2.0)
- Locking phpdocumentor/reflection-docblock (5.6.6)
- Locking phpdocumentor/type-resolver (1.12.0)
- Locking phpstan/phpdoc-parser (2.3.2)
- Locking phpunit/php-code-coverage (11.0.12)
- Locking phpunit/php-file-iterator (5.1.1)
- Locking phpunit/php-invoker (5.0.1)
- Locking phpunit/php-text-template (4.0.1)
- Locking phpunit/php-timer (7.0.1)
- Locking phpunit/phpunit (11.5.54)
- Locking psr/clock (1.0.0)
- Locking psr/link (2.0.1)
- Locking sebastian/cli-parser (3.0.2)
```

5. Structure du projet

Après installation, le projet devient plus "riche" .

Arborescence principale :

```
src/
templates/
config/
public/
migrations/
```

Capture – Structure dossier enrichi

```
PS C:\Users\alexi\sف-080120261500> ls

Répertoire : C:\Users\alexi\sف-080120261500

Mode                LastWriteTime         Length Name
----                -
d-----          18/02/2026   13:13         assets
d-----          18/02/2026   13:12          bin
d-----          18/02/2026   13:01         config
d-----          18/02/2026   13:12     migrations
d-----          18/02/2026   13:01         public
d-----          18/02/2026   13:12          src
d-----          18/02/2026   13:12     templates
d-----          18/02/2026   13:12         tests
d-----          18/02/2026   13:12     translations
d-----          18/02/2026   13:13          var
d-----          18/02/2026   13:12         vendor
-a-----          18/02/2026   13:01         257 .editorconfig
-a-----          18/02/2026   13:12     2217 .env
-a-----          18/02/2026   13:01         113 .env.dev
-a-----          18/02/2026   13:12         103 .env.test
-a-----          18/02/2026   13:12         363 .gitignore
-a-----          18/02/2026   13:12         331 compose.override.yaml
-a-----          18/02/2026   13:12         884 compose.yaml
-a-----          18/02/2026   13:13         3454 composer.json
-a-----          18/02/2026   13:13     381893 composer.lock
-a-----          18/02/2026   13:13         796 importmap.php
-a-----          18/02/2026   13:12     1410 phpunit.dist.xml
-a-----          18/02/2026   13:13     9415 symfony.lock

PS C:\Users\alexi\sف-080120261500>
```

6. Commandes Symfony usuelles

Afficher toutes les commandes disponibles :

```
php bin/console
```

Capture – Liste commandes Symfony

```

PS C:\Users\alexi\sf-080120261500> php bin/console
Symfony 7.4.5 (env: dev, debug: true)

Usage:
  command [options] [arguments]

Options:
  -h, --help            Display help for the given command. When no command is given display help for the list command
  --silent              Do not output any message
  -q, --quiet           Only errors are displayed. All other output is suppressed
  -V, --version         Display this application version
  --ansi|--no-ansi     Force (or disable --no-ansi) ANSI output
  -n, --no-interaction Do not ask any interactive question
  -e, --env=ENV        The Environment name. [default: "dev"]
  --no-debug           Switch off debug mode.
  --profile            Enables profiling (requires debug).
  -v|vv|vvv, --verbose Increase the verbosity of messages: 1 for normal output, 2 for more verbose output and 3 for debug

Available commands:
  about                Display information about the current project
  completion           Dump the shell completion script
  help                 Display help for a command
  list                 List commands
  asset-map
  asset-map:compile   Compile all mapped assets and writes them to the final public output directory
  assets
  assets:compress     Pre-compresses files to serve through a web server
  assets:install      Install bundle's web assets under a public directory
  cache
  cache:clear         Clear the cache
  cache:pool:clear    Clear cache pools
  cache:pool:delete   Delete an item from a cache pool
  cache:pool:invalidate-tags Invalidate cache tags for all or a specific pool
  cache:pool:list     List available cache pools
  cache:pool:prune   Prune cache pools
  cache:warmup        Warm up an empty cache
  config
  config:dump-reference Dump the default configuration for an extension
  dbal
  dbal:run-sql        Executes arbitrary SQL directly from the command line.
  debug
  debug:asset-map     Output all mapped assets
  debug:autowiring    List classes/interfaces you can use for autowiring
  debug:config        Dump the current configuration for an extension
  debug:container     Display current services for an application
  debug:dotenv        List all dotenv files with variables and values
  debug:event-dispatcher Display configured listeners for an application
  debug:firewall      Display information about your security firewall(s)
  debug:form

```

```

make:fixtures          Create a new class to load Doctrine fixtures
make:form              Create a new form class
make:listener          [make:subscriber] Creates a new event subscriber class or a new event listener class
make:message           Create a new message and handler
make:messenger-middleware Create a new messenger middleware
make:migration         Create a new migration based on database changes
make:registration-form Create a new registration form system
make:reset-password   Create controller, entity, and repositories for use with symfonycasts/reset-password-bundle
make:schedule          Create a scheduler component
make:security:custom  Create a custom security authenticator.
make:security:form-login Generate the code needed for the form_login authenticator
make:serializer:encoder Create a new serializer encoder class
make:serializer:normalizer Create a new serializer normalizer class
make:stimulus-controller Create a new Stimulus controller
make:test              [make:unit-test|make:functional-test] Create a new test class
make:twig-component   Create a Twig (or Live) component
make:twig-extension   Create a new Twig extension with its runtime class
make:user              Create a new security user class
make:validator         Create a new validator and constraint class
make:voter             Create a new security voter class
make:webhook           Create a new Webhook

messenger
messenger:consume     Consume messages
messenger:failed:remove Remove given messages from the failure transport
messenger:failed:retry Retry one or more messages from the failure transport
messenger:failed:show Show one or more messages from the failure transport
messenger:setup-transport Prepare the required infrastructure for the transport
messenger:stats       Show the message count for one or more transports
messenger:stop-workers Stop workers after their current message

router
router:match           Help debug routes by simulating a path info match

secrets
secrets:decrypt-to-local Decrypt all secrets and stores them in the local vault
secrets:encrypt-from-local Encrypt all local secrets to the vault
secrets:generate-keys  Generate new encryption keys
secrets:list           List all secrets
secrets:remove         Remove a secret from the vault
secrets:reveal         Reveal the value of a secret
secrets:set            Set a secret in the vault

security
security:hash-password Hash a user password

server
server:dump            Start a dump server that collects and displays dumps in a single place
server:log             Start a log server that displays logs in real time

translation
translation:extract    Extract missing translations keys from code to translation files
translation:pull       Pull translations from a given provider.
translation:push       Push translations to a given provider.

```

7. Lancement de l'application

```
php -S localhost:8000 -t public
```

Capture – Serveur lancé

Accès navigateur :

```
http://localhost:8000
```

Capture – Page Welcome Symfony 7

```
PS C:\Users\alexi\sف-080120261500> php -S localhost:8008 -t public
[Wed Feb 18 13:16:52 2026] PHP 8.2.12 Development Server (http://localhost:8008) started
[Wed Feb 18 13:17:23 2026] [::1]:64151 Accepted
[Wed Feb 18 13:17:23 2026] [::1]:56858 Accepted
[Wed Feb 18 13:17:24 2026] [::1]:64151 [404]: GET /
[Wed Feb 18 13:17:24 2026] [::1]:64151 Closing
[Wed Feb 18 13:17:24 2026] [::1]:56858 [200]: GET /_wdt/styles
[Wed Feb 18 13:17:24 2026] [::1]:56858 Closing
[Wed Feb 18 13:17:24 2026] [::1]:62479 Accepted
[Wed Feb 18 13:17:25 2026] [::1]:62479 [200]: GET /_wdt/df1e5f?XDEBUG_IGNORE=1
[Wed Feb 18 13:17:25 2026] [::1]:62479 Closing
```

8. Cr ation d'un contr leur – Home

8.1 G n ration

```
php bin/console make:controller Home
```

Capture – Cr ation contr leur Home

```
PS C:\Users\alexi\sف-080120261500> php bin/console make:controller Home
Do you want to generate PHPUnit tests? [Experimental] (yes/no) [no]:
> no
created: src/Controller/HomeController.php
created: templates/home/index.html.twig
Success!
Next: Open your new controller class and add some pages!
PS C:\Users\alexi\sف-080120261500>
```

Fichiers g n r s :

- src/Controller/HomeController.php
- templates/home/index.html.twig

8.2 D finition de la route

Exemple dans le contr leur :

```
#[Route('/', name: 'home')]
public function index(): Response
{
    return $this->render('home/index.html.twig');
}
```

Capture – Code contr leur

```
src > Controller > HomeController.php > ...
1  <?php
2
3  namespace App\Controller;
4
5  use Symfony\Bundle\FrameworkBundle\Controller\AbstractController;
6  use Symfony\Component\HttpFoundation\Response;
7  use Symfony\Component\Routing\Attribute\Route;
8
9  0 references
10 final class HomeController extends AbstractController
11 {
12     #[Route(path: '/home', name: 'app_home')]
13     0 references
14     public function index(): Response
15     {
16         return $this->render(view: 'home/index.html.twig', parameters: [
17             'controller_name' => 'HomeController',
18         ]);
19     }
20 }
```

9. Personnalisation du contrôleur

Ajout de paramètres Request :

```
public function index(Request $request): Response
{
    $name = $request->query->get('name');
}
```

Capture – Home ++

```
src > Controller > HomeController.php > ...
1  <?php
2
3  namespace App\Controller;
4
5  use Symfony\Bundle\FrameworkBundle\Controller\AbstractController;
6  use Symfony\Component\HttpFoundation\Response;
7  use Symfony\Component\Routing\Attribute\Route;
8  //
9  use Symfony\Component\HttpFoundation\Request;
10
11
12
13  2 references
14  final class HomeController extends AbstractController
15  {
16  ..../*
17  ....* http://localhost:8008
18  ....* http://localhost:8008?name=Heyrick
19  ....*/
20  #[Route(path: "/", name: "home")]
21  4 references
22  public function index(Request $request): Response
23  {
24  .... $name = "Hello " . ($request->query->get(key: 'name') ? $request->query->get(key:
25  .... $week = array('Lunes', 'Martes', 'Miercoles', 'Junes', 'Vienes');
26  .... /*
27  ....* -----
28  ....* Cette fois-ci, on appelle un fichier 'view'
29  ....* avec des parametres (ici 'name', 'hash2', 'week')
30  ....* à utiliser dans la vue
31  ....* -----
32  ....*/
33  .... //dd($name);
34  .... return $this->render(view: 'home/index.html.twig', parameters: [
35  ....     'name' => $name,
36  ....     'hash2' => "Jour ouvrables",
37  ....     'week' => $week
38  .... ]);
39  .... } // EO index(
40  } // EO class HomeController
41
```

10. Twig – Templates

Twig permet :

- Héritage via `{% extends %}`
- Blocs `{% block %}`
- Variables `{{ variable }}`
- Boucles `{% for %}`
- Conditions `{% if %}`

 Capture – Template modifié (page 16)

11. Création d'un second contrôleur – Recipe

11.1 Génération

```
php bin/console make:controller Recipe
```

Capture – Création RecipeController

```
● PS C:\Users\alexi\sف-080120261500> php bin/console make:controller Recipe

Do you want to generate PHPUnit tests? [Experimental] (yes/no) [no]:
> no

created: src/Controller/RecipeController.php
created: templates/recipe/index.html.twig

Success!

Next: Open your new controller class and add some pages!
❖ PS C:\Users\alexi\sف-080120261500> |
```

11.2 Routes dynamiques

Exemple :

```
#[Route('/recipe/{slug}', name: 'recipe.show')]
```

Capture – Route dynamique

```
src > Controller > RecipeController.php > ...
1  <?php
2
3  namespace App\Controller;
4
5  use Symfony\Bundle\FrameworkBundle\Controller\AbstractController;
6  use Symfony\Component\HttpFoundation\Response;
7  use Symfony\Component\Routing\Attribute\Route;
8  //
9  use Symfony\Component\HttpFoundation\Request;
10 use Symfony\Component\HttpFoundation\JsonResponse;
11
12
13
14 0 references
15 final class RecipeController extends AbstractController
16 {
17     .../* ...
18     ...#[Route(
19     ...     path: '/recipe/{slug}-{id}',
20     ...     name: 'recipe.show',
21     ...     requirements:['id' => '\d+', '$slug' => '[a-z0-9-]+'])]
22     ...
23     0 references
24     ...public function show(Request $request, string $slug, int $id): Response
25     ...{
26     ...     return new JsonResponse(data: [
27     ...         ...'id' => $id,
28     ...         ...'slug' => $slug
29     ...     ]);
30     ...}
31     ...// EO show(
32     .../*
33     ... * http://localhost:8008/recipe
34     ... */
35     ...#[Route(path: '/recipe', name: 'recipe.index')]
36     ...
37     0 references
38     ...public function index(Request $request): Response
39     ...{
40     ...     return new Response(content: 'Recipes');
41     ...}
42     ...// EO index(
43
44
45 }
46 // EO class RecipeController
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
```

11.3 Affichage des routes

```
php bin/console debug:router
```

Capture – Liste routes

```
PS C:\Users\alexi\sf-080120261500> php bin/console debug:router
```

Name	Method	Path
_preview_error	ANY	/_error/{code}._{format}
_wdt_stylesheet	ANY	/_wdt/styles
_wdt	ANY	/_wdt/{token}
_profiler_home	ANY	/_profiler/
_profiler_search	ANY	/_profiler/search
_profiler_search_bar	ANY	/_profiler/search_bar
_profiler_phpinfo	ANY	/_profiler/phpinfo
_profiler_xdebug	ANY	/_profiler/xdebug
_profiler_font	ANY	/_profiler/font/{fontName}.woff2
_profiler_search_results	ANY	/_profiler/{token}/search/results
_profiler_open_file	ANY	/_profiler/open
_profiler	ANY	/_profiler/{token}
_profiler_router	ANY	/_profiler/{token}/router
_profiler_exception	ANY	/_profiler/{token}/exception
_profiler_exception_css	ANY	/_profiler/{token}/exception.css
home	ANY	/
recipe.show	ANY	/recipe/{slug}-{id}
recipe.index	ANY	/recipe


```
PS C:\Users\alexi\sf-080120261500>
```

12. Résultat final

L'application affiche :

- Page Home
- Page Recipe
- Routes dynamiques
- Variables Twig

Capture – Résultat final navigateur



13. Difficultés rencontrées

Problème	Solution
Route non trouvée	Vérifier annotations
Erreur template	Vérifier chemin Twig
Contrôleur déjà existant	Supprimer ou renommer
Serveur non lancé	Lancer <code>php -S</code>

14. Résultats

- Projet Symfony fonctionnel
 - Architecture MVC maîtrisée
 - Routing dynamique opérationnel
 - Utilisation de Twig validée
-

15. Compétences mobilisées

- PHP orienté objet
 - Symfony CLI
 - Routing
 - Twig
 - Architecture MVC
 - Gestion serveur local
-

16. Conclusion

Ce TP a permis de comprendre la structure d'une application Symfony complète, l'importance du contrôleur, la gestion des routes et l'utilisation du moteur de template Twig .

Il constitue une base solide pour passer à :

- Doctrine ORM
 - Gestion base de données
 - CRUD complet
 - Sécurité (authentification)
-

Alexis DE JESUS - BTS SIO SLAM